

BIBLIOGRAPHY OF XIANG-YANG LI

0. Notes:

- 0.1 For sole or first-authored papers, asterisks (*) indicate most significant contributions to knowledge.
- 0.2 In joint papers, the first author is always the main originator except marked with an asterisk (*).

1. Thesis and Books

- 1.1 *Li, X.-Y., 1992. *Shear-wave splitting in reflection surveys: theory, methods and case studies*. Ph.D. Thesis, University of Edinburgh.
- 1.2 Zeng, X., MacBeth, C. and X.-Y. Li, 1997. *Shear-wave VSP data processing for anisotropy*. NUDT press, Chansha, China. (275 pages)
- 1.3 Li, X.-Y. and Hengchang Dai (editors), 1999, Edinburgh Anisotropy Project, Annual Research Report, Volume 6, British Geological Survey. (600 pages)
- 1.4 Li, X.-Y. and Hengchang Dai (editors), 2000, Edinburgh Anisotropy Project, Annual Research Report, Volume 7, British Geological Survey. (700 pages)
- 1.5 Li, X.-Y. (editor), 2001, Edinburgh Anisotropy Project, Annual Research Report, Volume 8, British Geological Survey. (600 pages)
- 1.6 Li, X.-Y. and Liu, E. (editors), 2002, Edinburgh Anisotropy Project, Annual Research Report, Volume 9, British Geological Survey. (700 pages)
- 1.7 Enru Liu, Li, X.-Y, and Hanssen, P. (editors), 2003, Edinburgh Anisotropy Project, Annual Research Report, Volume 10, British Geological Survey. (600 pages)
- 1.8 Li, X.-Y., Chapman, M. and Liu, E. (editors), 2004, Edinburgh Anisotropy Project, Annual Research Report, Volume 11, British Geological Survey. (600 pages)
- 1.9 Li, X.-Y., Chapman, M. and Liu, E. (editors), 2005, Edinburgh Anisotropy Project, Annual Research Report, Volume 12, British Geological Survey. (600 pages)
- 1.10 Li, X.-Y., Chapman, M. and Liu, E. (editors), 2006, Edinburgh Anisotropy Project, Annual Research Report, Volume 13, British Geological Survey. (600 pages)
- 1.11 *Li, X.-Y., and Chapman, M. (editors), 2007, Edinburgh Anisotropy Project, Annual Research Report, Volume 14, British Geological Survey. (700 pages).
- 1.12 Li, X.-Y., and Chapman, M. (editors), 2008, Edinburgh Anisotropy Project, Annual Research Report, Volume 15, British Geological Survey. (550 pages).
- 1.13 Li, X.-Y., and Chapman, M. (editors), 2009, Edinburgh Anisotropy Project, Annual Research Report, Volume 16, British Geological Survey. (550 pages).
- 1.14 Li, X.-Y., Dai, H. and Chapman, M. (editors), 2010, Edinburgh Anisotropy Project, Annual Research Report, Volume 17, British Geological Survey. (500 pages).

- 1.15 Li, X.-Y., Dai, H. and Chapman, M. (editors), 2011, Edinburgh Anisotropy Project, Annual Research Report, Volume 18, British Geological Survey. (450 pages).
- 1.16 Li, X.-Y., Dai, H. and Chapman, M. (editors), 2012, Edinburgh Anisotropy Project, Annual Research Report, Volume 19, British Geological Survey. (300 pages).
- 1.17 Li, X.-Y., Dai, H. and Chapman, M. (editors), 2013, Edinburgh Anisotropy Project, Annual Research Report, Volume 20, British Geological Survey. (350 pages).
- 1.18 Li, X.-Y., Dai, H. and Chapman, M. (editors), 2014, Edinburgh Anisotropy Project, Annual Research Report, Volume 21, British Geological Survey. (400 pages).
- 1.19 Li, X.-Y., Dai, H. and Chapman, M. (editors), 2015, Edinburgh Anisotropy Project, Annual Research Report, Volume 22, British Geological Survey. (300 pages).
- 1.20 Li, X.-Y., Dai, H. and Chapman, M. (editors), 2016, Edinburgh Anisotropy Project, Annual Research Report, Volume 23, British Geological Survey. (250 pages).

2. Papers in Internationally Refereed Journals

1991

- 2.1. *Li, X.-Y. and Crampin, S., 1991a. Complex component analysis of shear-wave splitting: theory. *Geophysical Journal International* **107**, 597-604.
- 2.2. *Li, X.-Y. and Crampin, S., 1991b. Complex component analysis of shear-wave splitting: case studies. *Geophysical Journal International* **107**, 605-613.

1993

- 2.3. *Li, X.-Y. and Crampin, S., 1993a. Linear-transform techniques for processing shear-wave anisotropy in four-component seismic data. *Geophysics* **58**, 240-256.
- 2.4. Li, X.-Y. and Crampin, S., 1993b. Approximations to shear-wave velocity and moveout equations in anisotropic media. *Geophysical Prospecting* **41**, 833-857.
- 2.5. Li, X.-Y. and Crampin, S., 1993c. Variation of reflection and transmission coefficients with crack strike and crack density in anisotropic media. *Geophysical Prospecting* **41**, 859-882.
- 2.6. *Li, X.-Y., Mueller, M.C. and Crampin, S., 1993. Case studies of shear-wave splitting in reflection profiles in South Texas. *Canadian Journal of Exploration Geophysics* **29**, 189-215.
- 2.7. Wild, P., MacBeth, C., Crampin, S., Li, X.-Y. and Yardley, G., 1993. Processing and interpreting vector wavefield data. *Canadian Journal of Exploration Geophysics* **29**, 117-124.

1995

- 2.8. MacBeth, C., Zeng, X., Li, X.-Y. and Queen, J., 1995. Multicomponent near-surface correction for land VSP data. *Geophysical Journal International* **121**, 301-315.

1996

- 2.9. MacBeth, C. and Li, X.-Y., 1996. Linear matrix operation for multicomponent seismic processing. *Geophysical Journal International* **124**, 189-208.
- 2.10. *Li, X.-Y. and Mueller, M.C. 1996. Case studies of multicomponent seismic data for fracture delineation: Austin Chalk Examples. In *Carbonate Seismology* (eds. Palaz, I. and Marfurt, K.), *SEG Geophysical Development Series* **6**, 337-372.

1997

- 2.11. *Li, X.-Y., 1997. Fractured reservoir delineation using multicomponent data. *Geophysical Prospecting* **45**, 39-64.
- 2.12. *Li, X.-Y. and MacBeth, C. 1997. Data-matrix asymmetry and polarization changes with depth from multicomponent surface seismics. *Geophysics* **62**, 630-643.
- 2.13. MacBeth, C., Li, X.-Y., Zeng, X., Wild, P. and Queen, J., 1997. Processing of a nine-component near-offset VSP for seismic anisotropy. *Geophysics* **62**, 676-689.
- 2.14. *Owen, R., Li, X.-Y., MacBeth, C. and Booth D.C., 1997. Reservoir characterization: How can anisotropy help? In *Structural Geology in Reservoir Characterization and Field Development* (ed. Howard, M.P.), *Geological Society Special Publication* **127**, 115-119.

1998

- 2.15. Li, X.-Y., MacBeth, C. and Crampin S., 1998. Interpreting non-orthogonal split shear-waves for seismic anisotropy in multicomponent VSPs. *Geophysical Prospecting* **46**, 1-27.
- 2.16. *Li, X.-Y., 1998. Processing P-P and P-S waves in multicomponent sea-floor data for azimuthal anisotropy: theory and overview. *Proceedings of 8th International Workshop on Seismic Anisotropy, Revue de l'Inst. Francais du Petro.* **53**, 607-620.

1999

- 2.17. MacBeth, C., Jakubowicz, H., Kirk, W., Li X.-Y. and Ohlsen, F., 1999. Fracture-related amplitude variations with offset and azimuth in marine seismic data. *First Break*, **17**, 13-26.
- 2.18. *Li, X.-Y., 1999. Fracture detection using azimuthal variation of P-wave moveout from orthogonal seismic survey lines. *Geophysics*, **64**, 1193-1201.
- 2.19. MacBeth, C. and Li, X.-Y., 1999. AVD – an emerging new technique for reservoir characterization. *Geophysics*, **64**, 1153-1159.
- 2.20. *Li, X.-Y. and Yuan, J., 1999. Geophone orientation and coupling in 3C sea-floor data: a case study. *Geophysical Prospecting*, **47**, 995-1013.
- 2.21. Dai, H., Li, X.-Y. and MacBeth, C., 1999, Inversion of fracture parameters by using the artificial neural network. *Proceedings of The International Conference on Artificial Intelligence, Las Vegas, USA, June 28 - July 1, 1999*, **2**, 517-523.

2000

- 2.22. *Kuehnel, T. and Li, X.-Y., 2000. Can we separate the effects of anisotropy and structure from surface seismic data? *The proceedings of the 7th Internat. Workshop on Seismic Anisotropy, SEG Special Publication*, 365-388.

- 2.23. Liu, E., Li, X.-Y. and Queen, J., 2000, Discrimination of pore fluids from P and converted shear-wave AVO analysis. *Proceedings of 9IWSA, SEG Special Publication*, 321-338.

2001

- 2.24. Angerer, E., Crampin, S., Li, X.-Y. and David, T.L., 2001. Processing, modeling and predicting time-lapse effects of overpressured fluid-injection in a fractured reservoir, *Geophysical Journal International* **149**, 267-280.
- 2.25. Li, X.-Y., Dai, H., Muller, M.C., and Barkved, O.I., 2001. Compensating for the effects of gas clouds on C-wave imaging: A case study from Valhall, *The Leading Edge*, **20**, 111-117.

2002

- 2.26. Wang, H. and Li, X.-Y., 2002, Anisotropic inversion of reflected-waves in vertical cable data in the presence of dip, *Geophysical Prospecting*, **50**, 259-280.
- 2.27. Yan, J., Li, X.-Y., and Liu, E., 2002. Effects of pore aspect ratios on velocity prediction from well-log data. *Geophysical Prospecting*, **50**, 289-300.
- 2.28. Liu, E., Tod, S.R. and Li, X.-Y., 2003. The effects of stress and pore fluid pressure on seismic anisotropy in cracked rocks. *Canadian SEG Recorder*, 27, No.6 (September 2002), 93-98.

2003

- 2.29. Vlastos, S., Liu, E., Main, I.M. and Li, X.-Y., 2003. Numerical simulation of wave propagation in media with discrete distributions of fractures: effects of fracture sizes and spatial distributions. *Geophysical Journal International*, **152**, 649-668.
- 2.30. Peter Hanssen, Anton Ziolkowski and Li, X.-Y., 2003, A quantitative study on the use of converted waves for sub-basalt imaging. *Geophysical Prospecting*, 2003, **51**, 3, 183-194.
- 2.31. *Li, X.-Y. and Yuan, J. 2003. Converted-wave moveout and conversion-point equations in layered VTI media revisited: Theory and applications. *Journal of Applied Geophysics*, **54**, 297-318.
- 2.32. *Li, X.-Y., Liu, Y.-J., Liu, E., Sheng, F., Li, Q., Qu, S., 2003. Fracture detection using land 3D seismic data from the Yellow River Delta, China. *The Leading Edge*, **22**, No. 7, 680-683.
- 2.33. Maultzsch, S., Chapman, M., Liu, E. and Li, X.-Y., 2003. Modelling frequency dependent seismic anisotropy in fluid-saturated rock with aligned fractures: implication of fracture size estimation from anisotropic measurements. *Geophysical Prospecting*, **51**, 5, 381-392.
- 2.34. Maultzsch, S., Chapman, M., Liu, E. and Li, X.-Y., 2003. The potential of measuring fracture sizes with frequency-dependent shear-wave splitting. *First Break*, **21**.
- 2.35. Liu, E., Maultzsch, S., Chapman, M. and Li, X.-Y., 2003. Frequency-dependent seismic anisotropy and its implication for estimating fracture size in low porosity reservoirs. *The Leading Edge*, **22**, No. 7, 662-665.
- 2.36. Chapman, M., Liu, E., Maultzsch, S. and Li, X.-Y., 2003. The effect of fluid saturation in an anisotropic, multi-scale, equant porosity model. *Journal of Applied Geophysics*, **54**, 191-202.

- 2.37. Liu, E., Queen, J.H., Li, X.-Y., Chapman, M., Lynn, H.B. and Chesnokov, E.M. Analysis of frequency-dependent seismic anisotropy from a multicomponent VSP at Bluebell-Altamont field, Utah. *Journal of Applied Geophysics*, **54**, 319-333.

2004

- 2.38. Liu, E., Vlastos, S., **Li, X.-Y.** and Main, I.G., 2004. Modeling seismic wave propagation during fluid injection in a fractured network: Effects of pore fluid pressure on time-lapse seismic signatures. *The Leading Edge*, **23**, No.8, 778-783.

2005

- 2.39. Mancini, F., **Li, X.-Y.**, Dai, H. and Pointer, T., 2005, Imaging Lomond Field using C-wave anisotropic PSTM: *The Leading Edge*, **24**, no. 6, 614-620.
- 2.40. Liu, E., Chapman, M., Hudson, J.A., Tod, S.R., Maultzsch, S. and **Li, X.-Y.**, 2005, Quantitative determination of hydraulic properties of fractured rock using seismic techniques: In "*Understanding the Micro to Macro Behaviour of Rock-Fluid Systems*", *Geological Society Special Publications*, **249**, 29-42.
- 2.41. Chapman, M., Liu, E. and Li, X.-Y., 2005, The influence of abnormally high reservoir attenuation on the AVO signature: *The Leading Edge*, **24**, No. 11, 1120-1125.

2006

- 2.42. Odebeatu, E., Zhang, J., Chapman, M., Liu, E. and **Li, X.-Y.**, 2006, Application of spectral decomposition to detection of dispersion anomalies associated with gas saturation: *The Leading Edge*, **25**, no. 2, 206-210.
- 2.43. Traub, B. and **Li, X.-Y.**, 2006. The effects of near-surface conditions on anisotropy parameter estimations from 4C seismic data. *Geophysical Prospecting*, **54**, 15-28.
- 2.44. Wang, S. and **Li, X.-Y.**, 2006. Layer stripping of azimuthal anisotropy from P-wave reflection moveout in orthogonal survey lines. *Journal of Geophysics and Engineering*, **3**, 1-11.
- 2.45. Dai, H. and **Li, X. Y.**, 2006, The effects of migration velocity errors on traveltimes accuracy in prestack Kirchhoff time migration and the image of PS converted waves: **GEOPHYSICS**, Soc. of Expl. Geophys., **71**, S73-S83.
- 2.46. Vlastos, S., Liu, E., Main, I.M., Schoenberg, M., Narteau, C., **Li, X.-Y.** and Maillot, B., 2006, Dual simulations of fluid flow and seismic wave propagation in a fractured network: Effects of pore pressure on seismic signature. *Geophysical Journal International*, *Geophysical Journal International* **166**, 825-838
- 2.47. Wei, X., **Li, X.-Y.**, Liu, Y. and Booth, D., 2005. The application of two-parameter functions of velocity and slowness with depth in approximating seismic reflection traveltimes. *Journal of Geophysics and Engineering*, **3**, 271-282.
- 2.48. Chapman, M., Liu, E. and **Li, X.-Y.**, 2006, The influence of fluid-sensitive dispersion and attenuation on AVO analysis associated with gas saturation. *Geophysical Journal International*, **167**, 89-99

2007

- 2.49. Li, X.-Y., Dai, H. and Mancini, F., 2007. Converted-wave imaging in anisotropic media: theory and case studies. *Geophysical Prospecting*, **55**, 345-363.
- 2.50. Wang, S., Li, X.-Y., Qian, Z., Di, B. and Wei, J., 2007. Physical modelling studies of 3D P-wave seismic for fracture detection. *Geophysical Journal International*, **168**, 745-756
- 2.51. Chen, S., Li, X.-Y., Sun, X., Dai, H., and Jiang, P., 2007. PP and PS response from volcanic gas reservoirs, *First Break*, **25**, 57-64
- 2.52. Dai, H. and Li, X.-Y., 2007. Velocity model updating in prestack Kirchhoff time migration for PS converted waves: Part I – Theory. *Geophysical Prospecting*, **55**, 525-547.
- 2.53. Dai, H. and Li, X.-Y., 2007. Velocity model updating in prestack Kirchhoff time migration for PS converted waves: Part II - Application *Geophysical Prospecting*, **55**, 549-559.
- 2.54. Dai, H., Li, X.-Y., and Conway, P., 2007, Imaging beneath gas clouds using 3D pre-stack Kirchhoff time migration of PS-waves – A case study from North Sea, *The Leading Edge*, **26**, No4, 522-529.
- 2.55. Di, B., Wang, S., Li, X.-Y. and Booth, D., 2007. An algorithm for estimating migration spatial resolution in layered media with focal beams. *Journal of Geophysics and Engineering*, **4**, 224-231.
- 2.56. Liu, E., Chapman, M., Varela, I., Li, X.-Y., Queen, J.H. and Lynn, H., 2007. Velocity and attenuation anisotropy: implication of fracture characterizations. *The Leading Edge*, **26**, 1170-1174..
- 2.57. Maultzsch, S., Chapman, M., Liu, E. and Li, X.-Y., 2007. Modelling and analysis of attenuation anisotropy in multi-azimuth VSP data from the Clair field. *Geophysical Prospecting*, **55**, 627-642.
- 2.58. Maultzsch, S., Chapman, M., Liu, E. and Li, X.-Y., 2007. Anisotropic attenuation in VSP data, *Journal of Seismic Exploration*, **16**, 145-158.
- 2.59. Qian, Z., Chapman, M., Li, X.-Y., Dai, H., Liu, E., Zhang, Y., and Wang, Y., 2007, Use of multicomponent seismic data for oil-water discrimination in fractured reservoirs, *The leading Edge*, **26**, 1176-1184.
- 2.60. Wang S.X., Li X.-Y., Qian Z.P., Wei, J.X. and Di, B.R., 2007, Physical modelling studies of 3-D P-wave seismic for fracture detection, *GEOPHYSICAL JOURNAL INTERNATIONAL*, **168**, 745-756
- 2.61. Wei J.X., Di B.R. and Li X.-Y., 2007, Effect of fracture scale length and aperture on seismic wave propagation: An experimental study, *Journal of Seismic Exploration*, **16**, 265-280

2008

- 2.62. Tang J. M., Zhang S. N., Li X.-Y., 2008, PP and PS seismic response from fractured tight gas reservoirs: a case study, *Journal Of Geophysics And Engineering*, **5**, 92-102
- 2.63. Dai, H., and Li, X.-Y., 2008, Effect of errors in the migration velocity model of PS converted waves on travel time accuracy in prestack Kirchhoff time migration in weak anisotropic media, *Geophysics*, **73** (2008), S195-S205

- 2.64. Li, X.-Y., Wang, L., Dai, H. And Sun, X.. 2008, Estimating anisotropic parameters from PS converted-wave data : a case study. *Journal of Seismic Exploration*, 17 (2-3). 147-158

2009

- 2.65. Zeng, L. and Li, X.-Y. 2009, Fractures in sandstone reservoirs with ultra-low permeability: A case study of the Upper Triassic Yanchang Formation in the Ordos Basin, China. *AAPG Bulletin*, 93 (4), 461–477

2010

- 2.66. Dai, H., and Li, X.-Y., 2010, A practical approach to compensate for diodic effects of PS converted waves, *The Leading Edge*, 29 (11), 800-803
- 2.67. Wang, S., Li, X.-Y., Di, B., and Booth, D. 2010, Reservoir fluid substitution effects on seismic profile interpretation: A physical modeling experiment, *Geophys. Res. Lett.*, 37, (2010) L10306, doi:10.1029/2010GL043090.

2011

- 2.68. Li X.-Y. and Zhang, Y.-G., 2011. Seismic reservoir characterization: how can multicomponent data help? *J. Geophys. Eng.* 8 (2011) 1-18.
- 2.69. Tillotson, P., Chapman, M., Best, A., Sothcott, J., McCann, C., Wang, S., and Li, X.-Y., 2011, Observations of fluid-dependent shear-wave splitting in synthetic porous rocks with aligned penny-shaped fractures, *Geophysical Prospecting*, 59 (1), 111-119.

2012

- 2.70. Wu, X. Y., Chapman, M., Li, X.-Y., 2012, Frequency dependent AVO Attribute: Theory and Example, *First Break*, 30:67-72
- 2.71. Tillotson, P., Sothcott, J. Best, A, Chapman, M., and Li, X.-Y., 2012, Experimental verification of the fracture density and shear-wave splitting relationship using synthetic silica cemented sandstone with a controlled fracture geometry, *Geophysical Prospecting*, 60 (3), 515-525.

2013

- 2.72. Chen, Shuang-Quan; Li, Xiao-Ming; Li, Xiang-Yang. 2013 Automated time-domain transform of converted waves by prestack double-parameter scanning. *Journal of Geophysics and Engineering*, 10 (4), 045010. 10.1088/1742-2132/10/4/045010
- 2.73. Zhang, Feng; Li, Xiangyang. 2013 Generalized approximations of reflection coefficients in orthorhombic media. *Journal of Geophysics and Engineering*, 10 (5), 054004. 10.1088/1742-2132/10/5/054004
- 2.74. Wang, Yaojun; Chen, Shuangquan; Wang, Lei; Li, Xiang-Yang. 2013 Modeling and analysis of seismic wave dispersion based on the rock physics model. *Journal of Geophysics and Engineering*, 10 (5), 054001. 10.1088/1742-2132/10/5/054001
- 2.75. Ekanem, A.M.; Wei, J.; Li, X.-Y.; Chapman, M.; Main, I.G.. 2013 P-wave attenuation anisotropy in fractured media: a seismic physical modelling study. *Geophysical Prospecting*, 61. 420-433. 10.1111/j.1365-2478.2012.01127.x

- 2.76. Zhang, Xiaolin; Zhang, Feng; Li, Xiangyang; Chen, Shuangquan. 2013 A new microseismic location method accounting for the influence of the hydraulic fracturing process. *Journal of Geophysics and Engineering*, 10 (3), 035010. 10.1088/1742-2132/10/3/035010
- 2.77. Guo, Zhiqi; Li, Xiang-Yang; Liu, Cai; Feng, Xuan; Shen, Ye. 2013 A shale rock physics model for analysis of brittleness index, mineralogy and porosity in the Barnett Shale. *Journal of Geophysics and Engineering*, 10 (2), 025006. 10.1088/1742-2132/10/2/025006

2014

- 2.78. Tillotson, Philip; Chapman, Mark; Sothcott, Jeremy; Best, Angus Ian; Li, Xiang-Yang. 2014 Pore fluid viscosity effects on P- and S-wave anisotropy in synthetic silica-cemented sandstone with aligned fractures. *Geophysical Prospecting*, 62 (6). 1238-1252. 10.1111/1365-2478.12194
- 2.79. Wu, Xiaoyang; Chapman, Mark; Li, Xiang-Yang; Boston, Patrick. 2014 Quantitative gas saturation estimation by frequency-dependent amplitude-versus-offset analysis. *Geophysical Prospecting*, 62 (6). 1224-1237. 10.1111/1365-2478.12179
- 2.80. Wu, X., Chapman, M., Li, X.-Y.. 2014 Estimating seismic dispersion from prestack data using frequency-dependent AVO analysis. *Journal of Seismic Exploration*, 23 (3). 219-239.
- 2.81. Amalokwu, K.; Best, A.I.; Sothcott, J.; Chapman, M.; Minshull, T.; Li, X.-Y.. 2014 Water saturation effects on elastic wave attenuation in porous rocks with aligned fractures. *Geophysical Journal International*, 197 (2). 943-947. 10.1093/gji/ggu076
- 2.82. Guo, Z., Li, X.-Y., Liu, C., 2014. An AVO inversion method in the frequency domain based on a layered model—a Bakken Shale case study. *Journal of Geophysics and Engineering*, 11 (2), 025001. 10.1088/1742-2132/11/2/025001
- 2.83. Chen, S., Li, X.-Y., Tang, J.. 2014 Converted-wave time domain registration using the inverted pseudo-PS-wave attribute section. *Journal of Geophysics and Engineering*, 11 (1), 015007. 10.1088/1742-2132/11/1/015007
- 2.84. Chen S., Li X.-Y., and Wu X. Y., 2014. Application of frequency-dependent AVO inversion to hydrocarbon. *Journal of Seismic Exploration*, 23:241-264.
- 2.85. Ding, Pinbo; Di, Bangrang; Wei, Jianxin; Li, Xiangyang; Deng, Yinghua. 2014 Fluid-dependent anisotropy and experimental measurements in synthetic porous rocks with controlled fracture parameters. *Journal of Geophysics and Engineering*, 11 (1), 015002. 10.1088/1742-2132/11/1/015002
- 2.86. Zhang, Xiaolin; Zhang, Feng; Li, Xiang. 2014 The influence of fracturing process on microseismic propagation. *Geophysical Prospecting*, 62 (4). 797-805. 10.1111/1365-2478.12145

2015

- 2.87. Guo, Z., Liu, C., Li, X.-Y. Lan, H., 2015. An improved method for the modeling of frequency-dependent amplitude-versus-offset variations. *IEEE Geoscience and Remote Sensing Letters*, 12 (1). 63-67. 10.1109/LGRS.2014.2326157
- 2.88. Li, Y., Guo, Z.Q., Liu, C., Li, X.-Y. and Wang, G. 2015. A rock physics model for the characterization of organic-rich shale from elastic properties. *Petroleum Science*, 12(2), 264-272.
- 2.89. Guo, Z.Q., Liu, C. and Li, X.-Y. 2015. Seismic signatures of reservoir permeability based on the patchy-saturation model. *Applied Geophysics*. 12(2), 189-198.

- 2.90. Guo, Z.Q. and Li, X.-Y. 2015. Rock physics model-based prediction of shear wave velocity in the Barnett Shale formation. *Journal of Geophysics and Engineering*, 12, 527-534.
- 2.91. Zhang, F. and Li, X.-Y. 2015. Exact elastic impedance tensor for isotropic media. *Science China-Earth Science*, 45, 799-810.
- 2.92. Amalokwu, K., Chapman, M., Best, A., Sothcott, J., Minshull, T.A., Li, X.-Y., 2015. Experimental observation of water saturation effects on shear wave splitting in synthetic rock with fractures aligned at oblique angles. *Geophysical Journal International*, 200(1), 17-24.
- 2.93. Amalokwu, K., Chapman, M., Best, A., Minshull, T.A., Li, X.-Y., 2015. Water saturation effects on P-wave anisotropy in synthetic sandstone with aligned fractures. *Geophysical Journal International*, 202(2), 1088-1095.
- 2.94. Wang, Y., Chen, S., and Li, X.-Y., 2015. Anisotropic characteristics of mesoscale fractures and applications to wide azimuth 3D P-wave seismic data. *Journal of Geophysics and Engineering*, 12(3):448.
- 2.95. Ekanem, A. M., Li, X.-Y., Chapman, M., et al, 2015. Seismic attenuation in fractured porous media: insights from a hybrid numerical and analytical model. *Journal of Geophysics and Engineering*, 12(2): 210-219.
- 2.96. Chen, S., Chapman, M., Wu, X., Li, X.-Y., 2015. The application of quantitative gas saturation estimation based on the seismic wave dispersion inversion. *Journal of Applied Geophysics*, 81-95.
- 2.97. Guo, Z., and Li, X.-Y., 2015. Azimuthal AVO signatures of fractured poroelastic sandstone layers, *Exploration Geophysics*, 15-20.
- 2.98. Li, Y., Guo, Z., Liu, C., Li, X.-Y. and Wang, G. 2015. A rock physics model for the characterization of organic-rich shale from elastic properties. *Petroleum Science*, 12(2): 264-272.
- 2.99. Liu, Y., Li, X.-Y. and Chen, S. 2015. Application of the double absorbing boundary condition in seismic modeling. *Applied Geophysics*, 12(1), 111-119.
- 2.100. Yang, C., Li, X.-Y., and Wang, Y., 2015. An analysis of 3D anisotropic-viscoelastic forward modeling and dissipation. *Journal of Geophysics and Engineering*, 12(6). 220-221.
- 2.101. Guo, Z.Q., Liu, X.W., Fu W. and Li, X.-Y., 2015. Modeling and analysis of azimuthal AVO responses from a viscoelastic anisotropic reflector. *Applied Geophysics*, 12(3), 441-452.

2016

- 2.102. Zhang, F. and Li, X.-Y. 2016. Exact elastic impedance matrices for transversely isotropic medium. *GEOPHYSICS*, Vol. 81, No. 2, pp. C1-C15.
- 2.103. Zhi, L., Chen, S. and Li, X.-Y., 2016. Amplitude variation with angle inversion using the exact Zoeppritz equations — Theory and methodology. *GEOPHYSICS*, Vol. 81, No. 2, pp. N1-N15.
- 2.104. Chen, S., Zeng, L., Huang, P., Sun, S., Zhang, W. and Li, X.-Y., 2016. Integrated studies of multiscale fractured reservoirs. *Applied Geophysics*, 13[1], 80-92.

- 2.105. Qian, K., Zhang, F., Chen, S., Li, X.-Y. and Zhang, H., 2016. A rock physics model for analysis of anisotropic parameters in a shale reservoir in Southwest China. *Journal of Geophysics and Engineering*. Vol.13, No,1,pp.19-34.
- 2.106. Guo, Z., Liu, C., Lan, H., Li, X.-Y., 2016. Modelling studies of frequency-dependent AVO response in an-elastic stratified media. *Chinese Journal of Geophysics*, 59[2] 664-672.
- 2.107. Chen, H., Li, X.-Y., Qian, Z., Song, J. and Zhao, L., 2016. Converted-wave migration velocity analysis using a simplified two-parameter equation. *Applied Geophysics*, 13[1], 135-144.
- 2.108. Ekanem, A.M., Li, X.-Y., Chapman, C. and Main, I.G., 2016. Effects of CO₂ on P-wave attenuation in porousmedia with micro-cracks: A synthetic modelling study. *Journal of Applied Geophysics*, 135, 309-316.

3. Conference proceedings (internationally refereed, 4 printed pages or over) presented at the SEG (Society of Exploration Geophysicists) meetings

1990

- 3.1 *Li, X.-Y. and Crampin, S., 1990. Case studies of complex component analysis of shear-wave splitting. *The 60th SEG Meeting, San Francisco, Expanded Abstract 2*, 1427-1430.

1991

- 3.2 *Li, X.-Y. and Crampin, S., 1991. Linear-transform technique for analyzing shear-wave splitting in four-component seismic data. *61st SEG Meeting, Houston, Expanded Abstract 1*, 51-54.

1992

- 3.3 Li, X.-Y., Crampin, S., Davis, T. and Benson, R., 1992. Modelling shear-wave splitting in VSPs in South Casper Creek, Wyoming. *62nd SEG Meeting, New Orleans, Expanded Abstract*, 124-127.
- 3.4 Li, X.-Y., Crampin, S. and Mueller, M.C., 1992. Correlation of shear-wave splitting with oil production from reflection surveys in the Austin Chalk, South Texas. *62nd SEG Meeting, New Orleans, Expanded Abstract*, 299-302.
- 3.5 *MacBeth, C., **Li, X.-Y.**, Crampin, S. and Mueller, M.C., 1992. Variability in fracture parameters from surface data. *62nd SEG Meeting, New Orleans, Expanded Abstract*, 816-819.

1993

- 3.6 Li, X.-Y., Crampin, S., MacBeth, C.D. and Liu, E., 1993. Characterizing fracture systems by shear-wave splitting in multicomponent seismic data. *SEG/CPS International Geophysical Conference, Beijing, China, Expanded Abstracts*, 487-492.
- 3.7 MacBeth, C., and **Li, X.-Y.**, 1993. VSP processing methods for multicomponent seismology. *SEG/CPS International Geophysical Conference, Beijing, China, Expanded Abstracts*, 153-157.
- 3.8 MacBeth, C., **Li, X.-Y.** and Queen, J., 1993. Near-surface correction for nine-component VSP. *63rd SEG Meeting, Washington D.C., Expanded Abstract*, 125-128.

1994

- 3.9 *Li, X.-Y., 1994. Amplitude corrections for multicomponent surface seismic data. *64th SEG meeting, Los Angeles, Expanded Abstracts*, 1505-1508.
- 3.10 MacBeth, C., **Li, X.-Y.** and Horne, S., 1994. Limitations on near-surface correction for multicomponent offset VSPs. *64th SEG meeting, Los Angeles, Expanded Abstracts*, 101-104.

1995

- 3.11 *Li, X.-Y. and MacBeth, C. 1995. Interpreting data matrix asymmetry and polarization changes with depth in multicomponent reflection survey. *65th SEG Meeting, Houston, Expanded Abstracts*, 719-722.
- 3.12 *Li, X.-Y., MacBeth, C., Lefevre, F. and Tabti, H., 1995. Characterizing fractured reservoir by

multicomponent reflection data and VSPs in the Paris Basin. *65th SEG Meeting, Houston, Expanded Abstracts*, 344-347.

1996

- 3.13 *Li, X.-Y., Kuehnel, T. and MacBeth, C., 1996. Mixed mode AVO response in fractured media. *66th SEG meeting, Expanded Abstracts*, 1822-1825.
- 3.14 *Kuehnel, T. and Li, X.-Y., 1996. Anisotropy versus dip - a separation approach. *66th SEG Meeting, Expanded Abstracts*, 1866-1869

1997

- 3.15 *Li, X.-Y., 1997. Viability of azimuthal variation in P-wave moveout for fracture detection. *67th SEG meeting, Dallas, Expanded Abstract*, 1555-1558.
- 3.16 *Kuehnel, T., Li, X.-Y. and MacBeth, 1997. Crack-related variations in the reflection coefficient. *67th SEG meeting, Dallas, Expanded Abstract*, 1993-1996.
- 3.17 MacBeth, C., Jakubowicz, H., Kirk, W., Li, X.-Y. and Ohlsen, F., 1997. Fracture-related amplitude variations with offset and azimuth in marine seismic data. *67th SEG meeting, Dallas, Expanded Abstract*, 195-198.

1998

- 3.18 Li, X.-Y., 1998. Processing P-P and P-S waves for azimuthal anisotropy in multicomponent sea-floor data. *SEG/EAGE/CPS International Geophysical Conference, Beijing, Expanded Abstract*, 417-421.
- 3.19 MacBeth, C. and Li, X.-Y., 1998. AVD – an emerging new marine technology for reservoir characterization. *SEG/EAGE/CPS International Geophysical Conference, Beijing, Expanded Abstract*, 422-426.
- 3.20 *Li, X.-Y., MacBeth, C., Hitchen, K. and Hanssen, P. 1998. Using converted shear-wave for imaging beneath basalt in deep water plays. *68th SEG meeting, New Orleans, Expanded Abstract*, 1369-1372.
- 3.21 *Li, X.-Y., 1998. Fracture detection using P-P and P-S waves in multicomponent sea-floor data. *68th SEG meeting, New Orleans, Expanded Abstract*, 2056-2059
- 3.22 *Yuan, J. and Li, X.-Y., 1998. A new approach for converted-wave moveout in transversely isotropic media. *68th SEG meeting, New Orleans, Expanded Abstract*, 1495-1498.
- 3.23 Yuan, J., Li, X.-Y., Ziolkowski, A. and Strijbos, F. 1998. Processing 4-C sea-floor seismic data: a case example from the North Sea. *68th SEG meeting, New Orleans, Expanded Abstract*, 714-717
- 3.24 *Dai, H. and Li, X.-Y., 1998. Interpreting the residual wavefield for polarization changes in 4C shear-wave data matrix. *68th SEG meeting, New Orleans, Expanded Abstract*, 726-729.

1999

- 3.25 *Li, X.-Y. and Yuan, J., 1999. Anisotropic velocity analysis for 4-C seismic data: A case study. *69th SEG meeting, Houston, Expanded Abstracts*, 732-735
- 3.26 Wang, H., Li, X.-Y., and MacBeth, C., 1999. Estimation of seabed sediment anisotropy using vertical cable seismics. *69th SEG meeting, Houston, Expanded Abstracts*, 1963-1966.

- 3.27 *Liu, Y., Li, X.-Y., MacBeth, C. and Anderton, P., 1999, Analysis of azimuthal variation in P-wave signature from orthogonal streamer lines. *69th SEG meeting, Houston, Expanded Abstracts*, 1959-1962.
- 3.28 *Kuehnel, T., Li, X.-Y., and Kvarstein, J., 1999, Fracture detection using marine streamer data: A case study. *69th SEG meeting, Houston, Expanded Abstracts*, 969-972.

2000

- 3.29 *Dai, H., Li, X.-Y. and Mueller, M., 2000. Compensating for the effects of gas clouds by prestack migration: A case study from Valhall. *70th SEG Meeting, Calgary Expanded Abstracts*, 1047-1050.
- 3.30 *Li, X.-Y., and Druzhinin, A., 2000 A practical approach to P-SV prestack time migration and velocity analysis for transverse isotropy. *70th SEG Meeting, Calgary Expanded Abstracts*, 1142-1145.
- 3.31 Liu, E., and Li, X.-Y., 2000. Seismic detection of fluid saturation in aligned fractures. *70th SEG Meeting, Calgary Expanded Abstracts*, 2373-2376
- 3.32 *Hanssen, P., Li, X.-Y., and Ziolkowski, A., 2000. Converted waves for sub-basalt imaging? *70th SEG Meeting, Calgary Expanded Abstracts*: 1174-1177
- 3.33 *Liu, Y.-J., Li, X.-Y., and Anderton, P., 2000. Can we extract fracture information from 3D marine streamer data? *70th SEG Meeting, Calgary Expanded Abstracts*, 1655-1658
- 3.34 Wang, J., Druzhinin, A., and Li, X.-Y., 2000. The impact of multiple suppression on vertical cable data imaging. *70th SEG Meeting, Calgary Expanded Abstracts*, 2173-2176
- 3.35 Angerer, E., Crampin, S., Li, X.-Y. and Davis, T.L., 2000. Time-lapse seismic changes in a CO₂ injection process in a fractured reservoir. *70th SEG Meeting, Calgary Expanded Abstracts*, 1532-1535.

2001

- 3.36 Ziolkowski, A., Hanssen, P., Gatliff, R., Li, X.-Y. and Jakubowicz, H., 2001, The use of low frequencies for sub-basalt imaging, *71st Ann. Internat. Mtg: Soc. of Expl. Geophys.*, 74-77.
- 3.37 Yuan, J. and Li, X.-Y., 2001, PS-wave conversion-point equation in layered anisotropic media, *71st Ann. Internat. Mtg: Soc. of Expl. Geophys.*, 157-160.
- 3.38 Liu, Y., Ziolkowski, A., Liu, E. and Li, X.-Y., 2001, Characterization of azimuthal anisotropy in the presence of thin layers using P-waves, *71st Ann. Internat. Mtg: Soc. of Expl. Geophys.*, 169-172.
- 3.39 Dai, H. and Li, X.-Y., 2001, Anisotropic migration and model building for 4-C seismic data: A case study from Alba, *71st Ann. Internat. Mtg: Soc. of Expl. Geophys.*, 795-798.
- 3.40 Li, X.-Y. and Yuan, J., 2001, Accuracy and sensitivity analysis for estimating anisotropic parameters from 4-C seismic data, *71st Ann. Internat. Mtg: Soc. of Expl. Geophys.*, 869-872.
- 3.41 Li, X.-Y. and Yuan, J., 2001, Accuracy and sensitivity analysis for estimating anisotropic parameters from 4-C seismic data, *71st Ann. Internat. Mtg: Soc. of Expl. Geophys.*, 869-872.
- 3.42 Liu, E. and Li, X.-Y., 2001, Effects of fluid saturation and pore pressure on seismic anisotropy, *71st Ann. Internat. Mtg: Soc. of Expl. Geophys.*, 1736-1739.

- 3.43 Yan, J., Liu, E. and **Li, X.-Y.**, 2001, Estimation of reservoir parameters using an anisotropic dual porosity model, 71st Ann. Internat. Mtg: Soc. of Expl. Geophys., 1796-1799.
- 3.44 Dai, H., **Li, X.-Y.** and Mueller, M., 2000, Compensating for the effects of gas clouds by prestack migration: A case study from Valhall, 70th Ann. Internat. Mtg: Soc. of Expl. Geophys., 1047-1050.
- 3.45 **Li, X.-Y.** and Druzhinin, A., 2000, A practical approach to P-SV prestack time migration and velocity analysis for transverse isotropy, 70th Ann. Internat. Mtg: Soc. of Expl. Geophys., 1142-1145.
- 3.46 Hanssen, P., **Li, X.-Y.** and Ziolkowski, A., 2000, Converted waves for subbasalt imaging?, 70th Ann. Internat. Mtg: Soc. of Expl. Geophys., 1174-1177.

2002

- 3.47 Liu, E., **Li, X.-Y.**, Queen, J., Lynn, H., Chapman, M. and Chesnokov, E., 2002, Analysis of fracture-dependent seismic anisotropy from a multicomponent VSP, 72nd Ann. Internat. Mtg: Soc. of Expl. Geophys., 101-104.
- 3.48 **Li, X.-Y.**, Liu, Y.Y., Liu, E. and Shen, F., 2002, Fracture detection using land 3D seismic data from the Yellow-River Delta, China, 72nd Ann. Internat. Mtg: Soc. of Expl. Geophys., 585-588.
- 3.49 Mancini, F., **Li, X.-Y.**, Ziolkowski, A. and Pointer, T., 2002, Interpreting velocity ratios from 4C seismic data and well logs in the presence of gas and anisotropy, 72nd Ann. Internat. Mtg: Soc. of Expl. Geophys., 1002-1005.
- 3.50 Dai, H. and **Li, X.-Y.**, 2002, A practical approach to update the migration velocity model for PS converted waves, 72nd Ann. Internat. Mtg: Soc. of Expl. Geophys., 2297-2300.

2003

- 3.51 Liu, E., Chapman, M., Maultzsch, S., **Li, X.-Y.**, Queen, J. and Zhang, Z., 2003, Frequency-dependent anisotropy: Effects of multifracture sets on shear-wave polarizations, 73rd Ann. Internat. Mtg.: Soc. of Expl. Geophys., 101-104.
- 3.52 Traub, B. and **Li, X.-Y.**, 2003, Characterization of near-surface anisotropy of P-wave and converted-wave data, 73rd Ann. Internat. Mtg.: Soc. of Expl. Geophys., 797-800.
- 3.53 Li, X.-Y., 2003, Converted-wave moveout analysis revisited: The search for a standard approach, 73rd Ann. Internat. Mtg.: Soc. of Expl. Geophys., 805-808.
- 3.54 Hanssen, P., Ziolkowski, A., Jakubowicz, H., Hampson, G., Gatliff, R. and **Li, X.-Y.**, 2003, Processing low-frequency data from the Faroe-Shetland Basin for subbasalt imaging, 73rd Ann. Internat. Mtg.: Soc. of Expl. Geophys., 1126-1129.
- 3.55 Vlastos, S., Schoenberg, M., Maillot, B., Main, I., Liu, E. and **Li, X.-Y.**, 2003, Dual simulations of fluid flow and seismic wave propagation in a fractured network: Effects of changes in pore pressure on signature of seismic waves, 73rd Ann. Internat. Mtg.: Soc. of Expl. Geophys., 1382-1385.
- 3.56 Rok, V., Druzhinin, A., Evans, R. and **Li, X.-Y.**, 2003, Multiscale fracture characterization using fractal frequency-power-law attenuation models, 73rd Ann. Internat. Mtg.: Soc. of Expl. Geophys., 1616-1619.
- 3.57 Dobson, A., Liu, E., **Li, X.-Y.** and Ritchie, D., 2003, Modeling long-offset seismic waves for subbasalt imaging, 73rd Ann. Internat. Mtg.: Soc. of Expl. Geophys., 1853-1856.

- 3.58 Druzhinin, A. and **Li, X.-Y.**, 2003, Data-driven multimode interval velocity analysis in terms of P-Q wavefront attributes, 73rd Ann. Internat. Mtg.: Soc. of Expl. Geophys., 2100-2103.
- 3.59 Wang, S. and **Li, X.-Y.**, 2003, Fracture detection using 3D seismic data: A physical modeling study, 73rd Ann. Internat. Mtg.: Soc. of Expl. Geophys., 2303-2306.

2004

- 3.60 Li, X.-Y., Dai, H. and Mancini, F., 2004. Converted-wave imaging in anisotropic media: an overview, 74th Ann. Internat. Mtg.: Soc. of Expl. Geophys., 881-884.
- 3.61 Dai, H., **Li, X.-Y.** and Conway, P., 2004. 3D pre-stack Kirchhoff time migration of PS-waves and migration velocity model building. 74th Ann. Internat. Mtg.: Soc. of Expl. Geophys., 1115-1118.
- 3.62 Druzhinin, A. and **Li, X.-Y.**, 2004. Multi-mode pre-processing of long-offset marine streamer data - Faeroes-Shetland Basin, 74th Ann. Internat. Mtg.: Soc. of Expl. Geophys., 2136-2139.

2005

- 3.63 Maultzsch, S., Chapman, M., Liu, E. and **Li, X.-Y.**, 2005, Observation and modeling of anisotropic attenuation in VSP data, 75th Ann. Internat. Mtg.: Soc. of Expl. Geophys., 131-134
- 3.64 Wang, H., Druzhinin, A. and **Li, X.-Y.**, 2005, The impact of multiple suppression on vertical cable data imaging, Multiple Attenuation: Soc. of Expl. Geophys., 935-938
- 3.65 Dai, H. and **Li, X.-Y.**, 2005, Accuracy of a simplified moveout formula for PS converted-waves in multi-layered media, 75th Ann. Internat. Mtg.: Soc. of Expl. Geophys., 1010-1013.
- 3.66 Wei, **X.**, **Li, X.-Y.** and Liu, Y., 2005, The application of equivalent velocity and slowness in VSP data processing, 75th Ann. Internat. Mtg.: Soc. of Expl. Geophys., 2621-2624.

2006

- 3.67 Li, X.-Y., Dai, H., Sun, X. and Jiang, P., 2006. Characterizing volcanic gas reservoirs using PP and PS seismic data: case study: 76th Ann. Internat. Mtg.: Soc. of Expl. Geophys., 1133-1137.
- 3.68 Wang, L., Dai, H., **Li, X.-Y.**, and Sun, X., 2006. Estimating anisotropic parameters from PS converted-wave data: a case study: 76th Ann. Internat. Mtg.: Soc. of Expl. Geophys., 1218-1222.
- 3.69 Qian, Z., **Li, X.-Y.**, Wang, S.X. and Wang S.D., 2006. Fracture detection using 3D P-wave seismic data: An integrated study from Southwest China: 76th Ann. Internat. Mtg.: Soc. of Expl. Geophys., 209-213..
- 3.70 Liu, E., Chapman, M. **Li, X.-Y.**, Queen, J. and Lynn, H., 2006. Kinematic and dynamic anisotropy: implication of seismic fracture characterizations: 76th Ann. Internat. Mtg.: Soc. of Expl. Geophys., 135-139.
- 3.71 Liu, E., Chapman, M., Loizou, N., **Li, X.-Y.**, 2006. Applications of spectral decomposition for AVO analyses in the west of Shetland: 76th Ann. Internat. Mtg.: Soc. of Expl. Geophys., 279-283.

2007

- 3.72 Varela, I., Maultzsch, S., **Li, X.-Y.**, and Chapman, M., 2007. Fracture Properties Inversion from Azimuthal AVO Using Singular Values Decomposition: 77th Ann. Internat. Mtg.: Soc. of Expl. Geophys.,
- 3.73 Qian, Z., **Li, X.-Y.**, and Chapman, M., 2007. Azimuthal variation of PP and PS wave attributes: a synthetic study: 77th Ann. Internat. Mtg.: Soc. of Expl. Geophys.,
- 3.74 Qian, Z., **Li, X.-Y.**, Chapman, M., Zhang, Y, and Wang, Y, 2007. Effects of oil-water saturation on shear-wave splitting in multicomponent seismic data: 77th Ann. Internat. Mtg.: Soc. of Expl. Geophys.,
- 3.75 Wei, J, Di, B. and **Li, X.-Y.**, 2007. Effects of fracture scale length and aperture on seismic properties: An experimental study: 77th Ann. Internat. Mtg.: Soc. of Expl. Geophys.,
- 3.76 Tang, J., Zhang, S. and **Li, X.-Y.**, 2007. Case study of PP and PS seismic response from fractured tight gas reservoirs: 77th Ann. Internat. Mtg.: Soc. of Expl. Geophys.,

2008

- 3.77 Dai, H and **Li, X.-Y.**, 2008, A practical approach to compensate for diodic moveouts of PS converted waves: 78th Ann. Internat. Mtg.: Soc. of Expl. Geophys.,
- 3.78 Wei, S., Li, X.-Y., Chen, S., and Ji, Y, 2008, Converted wave AVO inversion for average velocity ratio and shear wave reflection coefficient, 78th Ann. Internat. Mtg.: Soc. of Expl. Geophys.
- 3.79 Zhang, T., Li, X.-Y, and Mark Chapman, 2008, Estimating frequency-dependent seismic attributes by matching pursuit: a case study, 78th Ann. Internat. Mtg.: Soc. of Expl. Geophys.

2009

- 3.80 Varghese, A., Chapman, M., Li, X.-Y., and Wang, Y., 2009, Observations of azimuthal variation of attenuation anisotropy in 3D VSPs. 79th Ann. Internat. Mtg.: Soc. of Expl. Geophys.
- 3.81 Dai, H and **Li, X.-Y.**, 2008, Reducing the uncertainty in the data processing of PS converted wave, 79th Ann. Internat. Mtg.: Soc. of Expl. Geophys.
- 3.82 Wilson, A., Chapman, M., and Li, X.-Y., 2009, Frequency-dependent AVO inversion, 79th Ann. Internat. Mtg.: Soc. of Expl. Geophys.
- 3.83 Varela, I., Maultzsch, S., Chapman, M., Li, X.-Y., 2009, Fracture density inversion from a physical geological model using azimuthal AVO with optimal basis functions, 79th Ann. Internat. Mtg.: Soc. of Expl. Geophys.
- 3.84 Ekanem, A. M.*, Wei, J., Wang, S., Di, B., Li, X.-Y, and Chapman M. 2009, Fracture detection using 2-D P-wave seismic data: A seismic physical modelling study , 79th Ann. Internat. Mtg.: Soc. of Expl. Geophys.

2010

- 3.85 Chen, S., Chadwick, A. and Li, X.-Y. 2010, CO₂ injection induced dispersion and attenuation. 80th Ann. Internat. Mtg.: Soc. of Expl. Geophys.

- 3.86 Dai, H. and Li, X.-Y., 2010, A revised two-parameter moveout equation of PS converted-waves in VTI media. 80th Ann. Internat. Mtg.: Soc. of Expl. Geophy.
- 3.87 Guo, Z. and Li, X.-Y., 2010, Cracked thin layered reservoir analysis using offset-dependent spectrum characteristics. 80th Ann. Internat. Mtg.: Soc. of Expl. Geophy.
- 3.88 Xu, Y., Li, X.-Y. and Dai, H., 2010. Azimuthal AVO and seismic scattering attenuation in 3D fractured media: a numerical simulation study on the Discrete Fracture Model. 80th Ann. Internat. Mtg.: Soc. of Expl. Geophy.
- 3.89 Wu, X., Chapman, M. and Li, X.-Y., 2010. Estimating seismic dispersion from pre-stack data using frequency-dependent AVO inversion, 80th Ann. Internat. Mtg.: Soc. of Expl. Geophy.

4. Expanded Abstracts for the EAGE (European Association of Geoscientists & Engineers) meetings

1990

- 4.1. Li, X.-Y. and Crampin, S., 1990. Complex analysis of shear-wave splitting. *52nd Meeting and Technical Exhibition, European Association of Exploration Geophysicists, 28 May - 1 June, 1990, Copenhagen, Denmark, Technical Program and Abstracts*, 95-96.

1991

- 4.2. Li, X.-Y. and Crampin, S., 1991. Implementing pre-stack rotation for four-component shear-wave reflection data. *53rd EAEG (European Association of Exploration Geophysicists) Meeting, Florence, Italy, Expanded Abstracts*, 554-555.

1992

- 4.3. Li, X.-Y. and Crampin, S., 1992. Variation of reflection coefficients with crack strike and density in anisotropic media. *54th EAEG Meeting, Paris, France, Expanded Abstracts*, 86-87.
- 4.4. *Li, X.-Y., Crampin, S. and Mueller, M.C., 1992. Shear-wave characteristics in the Austin Chalk from three reflection lines in South Texas. *54th EAEG Meeting, Paris, France, Expanded Abstracts*, 616-617.

1993

- 4.5. Li, X.-Y., Crampin, S. and MacBeth, C., 1993. Interpreting non-orthogonal split shear-waves in multicomponent VSPs. *55th EAEG Meeting Stanvager, Norway, Expanded Abstract C009*.
- 4.6. MacBeth, C., Zeng, X. and Li, X.-Y., 1993. Overburden correction for multicomponent VSP data. *55th EAEG Meeting, Stanvager, Norway, Expanded Abstract, C052*.

1994

- 4.7. *Li, X.-Y., MacBeth, C. and Crampin, S., 1994. Shear-wave amplitude processing for fracture reservoir delineation. *56th EAEG Meeting, Vienna, Austria, Expanded Abstract, G054*.

1995

- 4.8. *Li, X.-Y., 1995. Detecting polarization changes with depth in multicomponent reflection surveys. *57th*

EAGE Meeting, Glasgow, Expanded Abstracts, C034.

- 4.9. Li, X.-Y., MacBeth, C., Lefeuvre, F. and Tabti, H., 1995. Integrated analysis of multicomponent vsps and surface seismic data for fracture reservoir delineation in the Paris basin. *57th EAGE Meeting, Glasgow, Expanded Abstracts, C036.*

1996

- 4.10. Li, X.-Y., Kuehnel, T. and MacBeth, C., 1996. Converted wave AVO and its implication. *58th EAGE Meeting, Amsteadam, Expanded Abstracts, M046.*
- 4.11. *Kuehnel, T., and Li, X.-Y., 1996. Can we separate the effects of anisotropy and structure from P-wave travel-time data? *58th EAGE Meeting Amsteadam, Expanded Abstracts, C017.*

1997

- 4.12. *Li, X.-Y. and MacBeth, C., 1997. Sub-basaltic imaging using converted waves in marine seismic data. *59th EAGE Meeting, Geneva, Expanded abstracts, A047.*
- 4.13. *Kuehnel, T. and Li, X.-Y., 1997. Separation of anisotropy and structure during processing. *59th EAGE Meeting, Geneva, Expanded abstracts, P052.*
- 4.14. *Yuan, J. and Li, X.-Y., 1997. Orientation of non-gimballed three-component geophones in sea-floor data. *59th EAGE Meeting, Geneva, Expanded abstracts, P041.*

1998

- 4.15. *Li, X.-Y., 1998. Azimuthal moveout analysis for fracture detection in marine streamer data. *60th EAGE Meeting, Leipzig, Expanded abstracts, P154.*
- 4.16. Yuan, J. and Li, X.-Y., 1998. Processing North Sea 4C sea-floor seismic data. *60th EAGE Meeting, Leipzig, Expanded abstracts, 3-35.*
- 4.17. Dai, H., Li, X.-Y. and MacBeth, C., 1998. Using the BPNN as a general feature detector. *60th EAGE Meeting, Leipzig, Expanded abstracts, P003.*

1999

- 4.18. *Li, X.-Y. and Yuan, J., 1999. Converted-wave moveout and parameter estimation for transverse isotropy. *61st EAGE Meeting, Helsinki, Expanded abstracts, 4-35.*
- 4.19. Li, X.-Y., Yuan, J., Ziolkowski, A. and Strijbos, F. 1999. Estimating vp/vs ratio from converted waves - a 4C case example. *61st EAGE Meeting, Helsinki, Expanded abstracts, P066.*
- 4.20. Wang, H., MacBeth, C. and Li, X.-Y., 1999. Separation of up and down-going wave fields in vertical cable seismic. *61st EAGE Meeting, Helsinki, Expanded abstracts, 6-8*
- 4.21. *Yuan, J., Li, X.-Y. and Ziolkowski, A., 1999. Anisotropy and correlation analysis in North Sea 4-c sea-floor seismic data. *61st EAGE Meeting, Helsinki, Expanded abstracts, 4-33.*
- 4.22. *Hanssen, P. and Li, X.-Y., 1999. Modelling converted waves for sub-basaltic imaging. *61st EAGE Meeting, Helsinki, Expanded abstracts, P083.*

2000

- 4.23. *Dai, H., **Li, X.-Y.**, and Mueller, M., 2000. The effects of gas clouds on converted-wave imaging: a case study from Valhall. *62nd EAGE Meeting, Glasgow, Expanded Abstracts*, P103.
- 4.24. Druzhinin, A., **Li, X.-Y.**, MacBeth, C., and Hitchen, K., 2000. Successful depth imaging below basalt - Rockall experience. *62nd EAGE Meeting, Glasgow, Expanded Abstracts*, X29.
- 4.25. *Li, X.-Y., 2000. Converted-wave velocity analysis: searching for Vc and gamma. *62nd EAGE Meeting, Glasgow, Expanded Abstracts*, L51.
- 4.26. Liu, E., and **Li, X.-Y.**, 2000. Estimation of pore or fracture fluid from seismic measurements. *62nd EAGE Meeting, Glasgow, Expanded Abstracts*, P06.
- 4.27. Wang, J., Druzhinin, A., and **Li, X.-Y.**, 2000. Multiple suppression in vertical cable seismic. *62nd EAGE Meeting, Glasgow, Expanded Abstracts*, P129.
- 4.28. Yan, J., MacBeth, C., and **Li, X.-Y.**, 2000. Estimating pore aspect ratio from velocity prediction. *62nd EAGE Meeting, Glasgow, Expanded Abstracts*, P159.
- 4.29. Yan, J., Liu, E., and **Li, X.-Y.**, 2000. Determining reservoir parameters from log and core data: a case study from the North Sea. *62nd EAGE Meeting, Glasgow, Expanded Abstracts*, P27.
- 4.30. Angerer, E., Crampin, S., and **Li, X.-Y.**, 2000. Changes in shear-wave anisotropy in time-lapse data: a case study. *62nd EAGE Meeting, Glasgow, Expanded Abstracts*, X38.

2001

- 4.31. Li, X.-Y. and MacLeod, M., 2001, Anisotropic Analysis and Processing of ALBA 4C OBC Data, 63rd Mtg.: Eur. Assn. Geosci. Eng., Session: L-16.
- 4.32. Yuan, J., **Li, X.-Y.** and Ziolkowski, A., 2001, Converted-Wave Moveout Analysis in Layered Anisotropic Media - a Case Study, 63rd Mtg.: Eur. Assn. Geosci. Eng., Session: L-27.
- 4.33. Liu, E., **Li, X.-Y.** and Zhang, Z., 2001, Sensitivity of Interfacial Compliances to Fluid Saturation and Pore Pressure, 63rd Mtg.: Eur. Assn. Geosci. Eng., Session: P033.
- 4.34. Yan, J., Liu, E. and **Li, X.-Y.**, 2001, Seismic Anisotropy in Sediments with Clay-Sand Mixture, 63rd Mtg.: Eur. Assn. Geosci. Eng., Session: P039.
- 4.35. Wang, H. and **Li, X.-Y.**, 2001, Application of Prestack Kirchhoff Time Migration to Vertical Cable Seismic Data, 63rd Mtg.: Eur. Assn. Geosci. Eng., Session: P072.
- 4.36. Liu, Y.J., Ziolkowski, A., Liu, E. and **Li, X.-Y.**, 2001, Effects of Thin Layers on the Detection of Azimuthal Anisotropy Using P-Waves, 63rd Mtg.: Eur. Assn. Geosci. Eng., Session: P091.
- 4.37. Li, X.-Y. and Yuan, J., 2001, Converted-Wave Imaging in Inhomogeneous, Anisotropic Media - Part I - Parameter Estimation, 63rd Mtg.: Eur. Assn. Geosci. Eng., Session: P109.
- 4.38. Yuan, J. and **Li, X.-Y.**, 2001, PS-Wave Conversion-Point Equations for Layered Anisotropic Media, 63rd Mtg.: Eur. Assn. Geosci. Eng., Session: P112.
- 4.39. Li, X.-Y., Dai, H. and Yuan, J., 2001, Converted-Wave Imaging in Inhomogeneous, Anisotropic Media - Part II - Prestack Migration, 63rd Mtg.: Eur. Assn. Geosci. Eng., Session: P114.
- 4.40. Yan, J., Liu, E., **Li, X.-Y.** and Scrutton, R., 2001, Petrophysical Inversion of Well-Log and VSP Data Using a Dual-Porosity Model, 63rd Mtg.: Eur. Assn. Geosci. Eng., Session: P195.

2002

- 4.41. Ziolkowski, A.M. , Hanssen, P. , Gatliff, R.W. , **Li, X.-Y.**, Jakubowicz, H. and Hampson, H. , 2002, Low Frequency Sub-Basalt Imaging, 64th Mtg.: Eur. Assn. Geosci. Eng., A005.
- 4.42. Traub, B.M. and **Li, X.-Y.**, 2002, Sensitivity of Anisotropic Parameter Estimation from 4C Data - Modelling and Case Studies, 64th Mtg.: Eur. Assn. Geosci. Eng., F018.
- 4.43. Dai, H.C. and **Li, X.-Y.**, 2002, Sensitivity Analysis of Migration Velocities for P-S Converted Wave (C-wave) Imaging, 64th Mtg.: Eur. Assn. Geosci. Eng., P008.
- 4.44. Wei, X.-C., Liu, Y. and **Li, X.-Y.**, 2002, Static Correction in Desert and Loose Terrains, 64th Mtg.: Eur. Assn. Geosci. Eng., P022.
- 4.45. Vlastos, S., Liu, E., **Li, X.-Y.** and Main, I., 2002, Numerical Study of Seismic Wave Propagation in Rock with Scale Length (Size) and Spatial Distributions of Fractures, 64th Mtg.: Eur. Assn. Geosci. Eng., P248.
- 4.46. Yuan, J., **Li, X.-Y.** and Zhu, X., 2002, C-Wave Anisotropic Parameter Estimation from Conversion Point, 64th Mtg.: Eur. Assn. Geosci. Eng., P253.
- 4.47. Li, X.-Y., Wei, X.-C., Liu, E., Li, X.-Z., Shi, S.-Q. and Zeng, X.-B., 2002, Integrated Analysis of Seismic Response of Gas Reservoirs in Ordos Basin, 64th Mtg.: Eur. Assn. Geosci. Eng., P255.
- 4.48. Dobson, A.J., **Li, X.-Y.**, Ziolkowski, A. and Liu, E., 2002, Effects of Lateral Heterogeneity in Basalt on Seismic Waves - a Modelling Study Using the Boundary Element Method, 64th Mtg.: Eur. Assn. Geosci. Eng., P267.

2003

- 4.49. Druzhinin, A., Vasilevsky, A., Evans, J. R., Murphy, C. A. and **Li, X.-Y.**, 2003, Feasibility of Inverting 3-D FTG Data for Reservoir Monitoring, 65th Mtg.: Eur. Assn. Geosci. Eng., A28.
- 4.50. Mancini, F., **Li, X.-Y.**, Ziolkowski, A. and Pointer, T., 2003, Effects of Binning Velocity Ratios on C-Wave Imaging in the Presence of Dips, 65th Mtg.: Eur. Assn. Geosci. Eng., D09.
- 4.51. Druzhinin, A. and **Li, X.-Y.**, 2003, Converted-Wave Velocity Analysis in Terms of P-Q Wavefront Attributes, 65th Mtg.: Eur. Assn. Geosci. Eng., P008.
- 4.52. Druzhinin, A., Rok, V., Evans, J. R. and **Li, X.-Y.**, 2003, Frequency-Power-Law Attenuation – Scattering by Fractal Inclusions, 65th Mtg.: Eur. Assn. Geosci. Eng., P015.
- 4.53. Vlastos, S., Schoenberg, M., Maillot, B., Main, I., Liu, E and **Li, X.-Y.**, 2003, Fluid Flow Simulation in a Fractured Medium – Effects of Pore Pressure Changes on Seismic Waves, 65th Mtg.: Eur. Assn. Geosci. Eng., P018.
- 4.54. **Li, X.-Y.**, Yuan, J. and Bale, R., 2003, Converted-Wave Traveltime Equations in Layered Anisotropic Media – An Overview, 65th Mtg.: Eur. Assn. Geosci. Eng., P105.
- 4.55. Dai, H. and **Li, X.-Y.**, 2003, Migration Velocity Analysis of C-Wave Using INMO-CIP Gathers of PKTM – A Case Study, 65th Mtg.: Eur. Assn. Geosci. Eng., P106.
- 4.56. Maultzsch, S., Liu, E., **Li, X.-Y.**, Daley, T.M., Queen, J. H. and Cox, D., 2003, Shear-Wave Splitting Analysis of a 3D VSP from the San Juan Basin, 65th Mtg.: Eur. Assn. Geosci. Eng., P222.

- 4.57. Liu, E., Chapman, M., Queen, J. H., Maultzsch, S. and **Li, X.-Y.**, 2003, Frequency-Dependent Anisotropy – Effects of Multi-Fracture Sets on Shear-Wave Polarizations, 65th Mtg.: Eur. Assn. Geosci. Eng., P264.

2004

- 4.58. Druzhinin, A., Hobbs, R. W. and **Li, X.-Y.**, 2004, The impact of data pre-processing on sub-basalt seismic imaging. 66th Mtg.: Eur. Assn. Geosci. Eng., P305.
- 4.59. Li, X.-Y. and Dai, H., 2004, An Approximation of the Conversion-Point of PS Converted Waves Based on Newton's Method, 66th Mtg.: Eur. Assn. Geosci. Eng., P026.
- 4.60. Dobson, A., **Li, X.-Y.** and Ziolkowski, A., 2004, Thin-layered basalt: implications for seismic imaging. 66th Mtg.: Eur. Assn. Geosci. Eng., H038.
- 4.61. Mancini, F., **Li, X.-Y.**, Ziolkowski, A. and Pointer, T., 2004, C-wave anisotropic imaging using PSTM: a case example from the North Sea. 66th Mtg.: Eur. Assn. Geosci. Eng., E038.
- 4.62. Traub B. and **Li, X.-Y.**, 2004, Can we constrain a VTI model by joint non-hyperbolic moveout inversion of P- and Converted-wave data ? 66th Mtg.: Eur. Assn. Geosci. Eng., E010.
- 4.63. Zhang J. and **Li, X.-Y.**, 2004, P-wave and converted wave event correlation by converted wave moveout analysis. 66th Mtg.: Eur. Assn. Geosci. Eng., P025.

2005

- 4.64. Dai, H. and **Li, X.-Y.**, 2005, A Simplified Moveout Formula for P-, S-, and Converted-Waves in Multi-Layered Media, 67th Mtg.: Eur. Assn. Geosci. Eng., P061.
- 4.65. Traub, B. and **Li, X.-Y.**, 2005, Anisotropic Processing and Modelling of 4C Seismic Data – A Case Study, 67th Mtg.: Eur. Assn. Geosci. Eng., P075.
- 4.66. Zhang, J. and **Li, X.-Y.**, 2005, AVO Fluid Discrimination with Weak Impedance Contrast – A Case Study from the Ordos Basin, 67th Mtg.: Eur. Assn. Geosci. Eng., P035.
- 4.67. Wei, X., **Li, X.-Y.** and Liu, Y., 2005, The Application of Equivalent Velocity in Multi-Component VSP Data Processing, 67th Mtg.: Eur. Assn. Geosci. Eng., P067.
- 4.68. Mancini, F., Williamson, P., **Li, X.-Y.** and Dai, H., 2005, Analysis of C-wave PSTM Results from Three 2D 4C Lines Acquired Offshore West Africa, 67th Mtg.: Eur. Assn. Geosci. Eng., P074.
- 4.69. Chapman, M., Liu, E. and **Li, X.-Y.**, 2005, Analysis of Attenuation Anisotropy in Multi-Azimuth VSP Data from the Clair Field, 67th Mtg.: Eur. Assn. Geosci. Eng., E040.
- 4.70. Chapman, M., Liu, E. and **Li, X.-Y.**, 2005, Modelling the Effect of Frequency Dependent Anisotropy on Azimuthal AVO Analysis, 67th Mtg.: Eur. Assn. Geosci. Eng., P095.

2007

- 4.71. **Li, X.-Y.**, Chapman, M., Zhang, Y., Wang, Y. and Xia, J., 2007. Analysis of shear-wave splitting in multicomponent seismic data for oil-water discrimination during water flooding. 69th Mtg.: Eur. Assn. Geosci. Eng., B023.
- 4.72. Zhang, J., Chapman, M., Liu, E., **Li, X.-Y.**, Wang, S. and Liu, Z., 2007. Fluid detection by spectral

decomposition: lessons from numerical, physical modelling and field studies. 69th Mtg.: Eur. Assn. Geosci. Eng., F018.

- 4.73. Qian, Z., and **Li, X.-Y.**, 2007. Sensitivity Analysis of Anisotropic Parameters for C-wave Pre-stack Time Migration in the Clair 3D OBC Data. 69th Mtg.: Eur. Assn. Geosci. Eng., P196.
- 4.74. Dai, H. and **Li, X.-Y.**, 2007. Effect of errors in the migration velocity model of PS-waves on travel time accuracy in PSTM in weak anisotropic media. 69th Mtg.: Eur. Assn. Geosci. Eng., P197.
- 4.75. Qian, Z., **Li, X.-Y.**, Meng, X. and Bi, L., 2007. Converted-wave velocity analysis in the presence of anisotropy: a case study from Shengli oilfield, China. 69th Mtg.: Eur. Assn. Geosci. Eng., P304.

2008

- 4.76. Dai, H and **Li, X.-Y.**, 2008, A practical approach to compensate for diodic moveouts of PS converted waves: 70th Ann. Internat. Mtg: EAGE
- 4.77. Qian Z, **Li, X.-Y.**, and Chapman M., 2008, Fracture characterization with azimuthal attribute analysis of PS-wave data: modelling and application: 70th Ann. Internat. Mtg: Eur. Assn. Geosci. Eng
- 4.78. Wilson A. Chapman, M., and **Li, X.-Y.** and Buckner, S., 2008, Comparative Study of Amplitude-Versus-Offset Results and Spectral Decomposition of a Marine Seismic Survey, 70th Ann. Internat. Mtg: Eur. Assn. Geosci. Eng
- 4.79. Zhang, F, Wang, Y., and **Li, X.-Y.**, 2008, Mixed-phase wavelet estimation using unwrapped phase of bispectrum; 70th Ann. Internat. Mtg: Eur. Assn. Geosci. Eng

2009

- 4.80. Dai, H and **Li, X.-Y.**, 2009, Reducing the uncertainty in parameter estimation and data processing of PS converted waves, 71th Ann. Internat. Mtg: Eur. Assn. Geosci. Eng.
- 4.81. Qian Z, **Li, X.-Y.**, and Chapman M., 2009, Effects of fluid viscosity on PP and PS-waves in fractured rock, 71th Ann. Internat. Mtg: Eur. Assn. Geosci. Eng.
- 4.82. Wilson A. Chapman, M., and **Li, X.-Y.** 2009, Use of frequency dependent AVO inversion to estimate P-wave dispersion properties from reflection data, 71th Ann. Internat. Mtg: Eur. Assn. Geosci. Eng.
- 4.83. Ekanem, M., Wei, J., Li, X-Y. Chapman, M and Main, I, 2009, P-wave attenuation anisotropy in fractured media: results from a laboratory 'scale-model, 71th Ann. Internat. Mtg: Eur. Assn. Geosci. Eng.
- 4.84. Zhang, T, Li, X.-Y., 2009, Coherence-Derived Volumetric Curvature Using the Windowed-Fourier Transform, 71th Ann. Internat. Mtg: Eur. Assn. Geosci. Eng.

2010

- 4.85. Dai, H, Li, X.-Y., Yu, C., and Wang, J. 2010, A practical approach to compensate for the azimuth anisotropy in 3D PS converted wave processing, 72th Ann. Internat. Mtg: Eur. Assn. Geosci. Eng.
- 4.86. Ekanem, M., Wei, J., Li, X-Y. Chapman, M and Main, I, 2010, Physical modelling studies of the effect of fracture thickness on P-wave attenuation, 72th Ann. Internat. Mtg: Eur. Assn. Geosci. Eng.
- 4.87. Guo, Z. and Li, X.-Y., 2010, Crack density discrimination for thin layers using offset-dependent spectrum characteristics, 72th Ann. Internat. Mtg: Eur. Assn. Geosci. Eng

- 4.88. Guo, Z. and Li, X.-Y., 2010, Evaluation of anisotropic critical angle in frequency domain, 72th Ann. Internat. Mtg: Eur. Assn. Geosci. Eng.
- 4.89. Wu, X. Wilson, A., Chapman, M., and Li, X.-Y., 2010, Frequency dependent AVO inversion using smoothed pseudo Wigner-Ville distribution, 72th Ann. Internat. Mtg: Eur. Assn. Geosci. Eng.
- 4.90. Xu, Y, Chapman, M., and Li, X.-Y., and Main, I, 2010, Fracture spacing effects on seismic anisotropy and scattering: A 3D numerical simulation study on Discrete Fracture Models, 72th Ann. Internat. Mtg: Eur. Assn. Geosci. Eng.
- 4.91. Xu, Y., Yong, A., Li, X.-Y., and Cao, Z, 2010, An integrated study of fracture detection using P-wave seismic data, 72th Ann. Internat. Mtg: Eur. Assn. Geosci. Eng.

5. Confidential Reports (BGS Seismology Series)

1994

- 5.1. Li, X.-Y., 1994a. Shear-wave characteristics in south Michigan: data processing. *Confidential Report to Telesis Petroleum, BGS Seismology WL/94/12C*. 60 pages.
- 5.2. Li, X.-Y., 1994b. Seismic exploration for fracture reservoirs in south Michigan. *Confidential Report to Telesis Petroleum, BGS Seismology WL/94/13C*. 20 pages.

1995

- 5.3. Li, X.-Y., 1995. Processing multicomponent reflection data in Villepurdue in the Paris Basin. *Confidential Report to Total, BGS Seismology WL/95/10C*. 32 pages
- 5.4. Li, X.-Y. and MacBeth, C., 1995. Interpreting multicomponent VSPs and reflection data in Villepurdue in the Paris Basin. *Confidential Report to Total, BGS Seismology WL/95/11C*. 43 pages.

1996

- 5.5. *Li, X.-Y. and MacBeth 1996a. Sub-basaltic imaging using converted shear waves - Phase I study. *Confidential Report to the Rockall Continental Margin Consortium, BGS Seismology WL/95/33C*. 27 pages.
- 5.6. *Li, X.-Y. and MacBeth 1996b. Sub-basaltic imaging using converted shear waves - a quantitative study. *Confidential Report to the Rockall Continental Margin Consortium, BGS Seismology WL/96/09C*. 44 pages.
- 5.7. Li, X.-Y. and Yuan, J. 1996. Geophone orientation in three-component sea floor data. *Report to the BGS/University of Edinburgh collaboration on 3-C sea-floor data processing, Semi-Annual Report No. 1. Also BGS Seismology WL/96/26C*. 20 pages.

1997

- 5.8. Yuan, J. and Li, X.-Y., 1997. Converted-wave CCP binning and velocity analysis. *Report to BGS/University of Edinburgh collaboration on 3-C sea-floor data processing, Semi-Annual Report No.2. Also BGS Seismology, WL/97/18C*. 21 pages.
- 5.9. Yuan, J. Li, X.-Y. and Ziolkowski, A., 1997. Processing North Sea 4-C sea-floor seismic data I. *Report to BGS/University of Edinburgh collaboration on 3-C sea-floor data processing, Semi-Annual Report No.3. Also BGS Seismology, WL/97/34*. 24 pages.

- 5.10. *Li, X.-Y., 1997. Processing P-P and P-S waves for azimuthal anisotropy: theory. *Report to the BGS/University of Edinburgh collaboration on 3-C sea-floor data processing, Semi-Annual Report No. 3.* Also *BGS Seismology WL/97/35*. 32 pages.
- 5.11. Owen, R. **Li, X.-Y.** and MacBeth, C. 1997. Summary of the geological setting for sub-basaltic imaging in the Rockall-Faeroes-Shetland area. *A report for the EAP initiative on sub-basaltic imaging, BGS Seismology WL/97/17C*. 20 pages.

1998

- 5.12. *Yuan, J., Crampin, **Li, X.-Y.** and Taylor D., 1998. Azimuthal anisotropy update. *Report to BGS/University of Edinburgh collaboration on 3-C sea-floor data processing, Semi-Annual Report No.4*. 20 pages.
- 5.13. *Kuehnel, T. and **Li, X.-Y.**, 1998. Fracture strike estimation in the presence of dip. *EAP Report/98/12*. 25 pages.
- 5.14. *Li, X.-Y. and Yuan J., 1998. An accurate P-SV moveout equation for transverse isotropy. *Report to the BGS/University of Edinburgh collaboration on 3-C sea-floor data processing, Semi-Annual Report No. 5.* Also *BGS Seismology WL/98/32*. 24 pages.
- 5.15. Yuan, J., **Li, X.-Y.** and Ziolkowski, A., 1998. Processing North Sea 4-C sea-floor seismic data II: Anisotropy analysis and correlation. *Report to BGS/University of Edinburgh collaboration on 3-C sea-floor data processing, Semi-Annual Report No. 5.* Also *BGS Seismology, WL/98/33*. 24 pages.
- 5.16. Crampin, S., Yuan, J. and **Li, X.-Y.**, 1998. The use of phase-reversals in P-S conversions to classify azimuthal anisotropy in offshore sea-floor crossline reflection surveys. *Report to BGS/University of Edinburgh collaboration on 3-C sea-floor data processing, Semi-Annual Report No.5*. 25 pages.
- 5.17. *Li, X.-Y., 1998. Detecting changes of seismic anisotropy in the Earth's subsurface. *Final report to NERC on Ropa Project GR3/R9514, BGS Seismology, WL/98/34*. 40 pages.

1999

- 5.18. *Li, X.-Y. and Yuan, J., 1999. Developing and exploiting effective techniques to overcome the difficulties of 4C seismic reservoir surveying in deep water. *Invited paper for the 3rd IIR International Forum on Marine Seismic Data.* Also *BGS Seismology, WL/99/04.* Also in *Edinburgh Anisotropy Project, Annual Report, 6*, 129-156.
- 5.19. Kuehnel, T. and Li, X.-Y., 1999. Fracture detection using marine streamer data: a case study. *Edinburgh Anisotropy Project, Annual Report, 6*, 185-212.
- 5.20. *Liu, Y.-J., **Li, X.-Y.**, MacBeth, C., and Anderton, P., 1999. Fracture-related azimuthal variations in P-wave signatures from orthogonal seismic survey lines. *Edinburgh Anisotropy Project, Annual Report, 6*, 213-242.
- 5.21. *Dai, H. and **Li, X.-Y.**, 1999. Interpreting the residual wavefield for polarization changes in shear-wave data matrix. *Edinburgh Anisotropy Project, Annual Report, 6*, 243-258.
- 5.22. Li, X.-Y., 1999. Layer stripping of azimuthal anisotropy from P-wave reflection moveout in orthogonal survey lines. *Edinburgh Anisotropy Project, Annual Report, 6*, 259-284.
- 5.23. Dai, H., and **Li, X.-Y.**, 1999. Inversion of fracture parameters using artificial neural networks. *Edinburgh Anisotropy Project, Annual Report, 6*, 319-332.
- 5.24. Wang, J., MacBeth, C., and **Li, X.-Y.**, 1999. Wavefield separation in vertical cable seismic. *Edinburgh*

Anisotropy Project, Annual Report, 6, 333-346.

- 5.25. *Hanssen, P. and Li, X.-Y., 1999. Converted-wave analysis: Modelling and preliminary case study. *Edinburgh Anisotropy Project, Annual Report, 6*, 423-450.

2000

- 5.26. *Li, X.-Y., 2000. Converted-wave traveltime equations in layered isotropic/anisotropic media: an overview. *Edinburgh Anisotropy Project, Annual Report, 7*, 3-32.
- 5.27. *Druzhinin, A., Li, X.-Y., and Yomogida, K., 2000. Multicomponent OBS data modelling and converted-wave imaging for transverse isotropy. *Edinburgh Anisotropy Project, Annual Report, 7*, 33-74.
- 5.28. Liu, E. and Li, X.-Y., 2000. Detection of pore fluids in anisotropic rocks from P- and converted-waves. *Edinburgh Anisotropy Project, Annual Report, 7*, 97-136.
- 5.29. *Dai, H, Li, X.-Y., and Mueller, M., 2000. Valhall data analysis i: Effects of gas clouds on converted-wave *Edinburgh Anisotropy Project, Annual Report, 7*, 139-168.
- 5.30. *Dai, H, Li, X.-Y., and Mueller, M., 2000. Valhall Data Analysis II: Compensating for the effects of gas clouds using prestack migration. *Edinburgh Anisotropy Project, Annual Report, 7*, 169-184.
- 5.31. Li, X.-Y., Yuan, J., and Bagaini, C., 2000. Lomond data analysis: Geophone coupling and converted-wave imaging. *Edinburgh Anisotropy Project, Annual Report, 7*, 185-213.
- 5.32. Yuan, J., Li, X.-Y., Ziolkowski, A., and Strijbos, F., 2000. Analysis of azimuthal anisotropy in 4C seismic data: a Guillemot. *Edinburgh Anisotropy Project, Annual Report, 7*, 213-242.
- 5.33. *Liu, Y.-J., Li, X.-Y., and Rodriguez, J.-M., 2000. Fracture detection using 3D marine streamer data: a case study. *Edinburgh Anisotropy Project, Annual Report, 7*, 245-288.
- 5.34. Druzhinin, A. and Li, X.-Y., 2000. Multi-scale image processing for upscaling and fracture detection. *Edinburgh Anisotropy Project, Annual Report, 7*, 405-422.
- 5.35. Hanssen, P. and Li, X.-Y., 2000. Modelling converted waves and acquisition methods for sub-basaltic imaging. *Edinburgh Anisotropy Project, Annual Report, 7*, 491-516.
- 5.36. Wang, J., Li, X.-Y., and MacBeth, C., 2000. Anisotropic inversion of refracted waves in vertical cable data in the presence of dip. *Edinburgh Anisotropy Project, Annual Report, 7*, 517-556.
- 5.37. Wang, J., Druzhinin, A., and Li, X.-Y., 2000. The impact of Multiple suppression on vertical cable data imaging. *Edinburgh Anisotropy Project, Annual Report, 7*, 557-578.
- 5.38. Yan, J, Li, X.-Y., and Liu, E., 2000. Effects of aspect ratio on velocity prediction from well logs. *Edinburgh Anisotropy Project, Annual Report, 7*, 581-604.
- 5.39. Yan, J., Liu, E., and Li, X.-Y., 2000. Petrophysical inversion of reservoir parameters using a dual-porosity model. *Edinburgh Anisotropy Project, Annual Report, 7*, 605-638.

序号	论文名称	论文作者	会议/刊物	是否 EI/SCI
1	Converted-wave diodic moveout and application in the land gas cloud area	Zhang Si-Hai, Li Xiang-Yang, Dai Heng-Chang	2011, Applied Geophysics	SCI
2	国外应用纵波各向异性技术检测裂缝的研究进展	尹志恒, 狄帮让, 李向阳, 张征, 魏建新, 邓元军	2011, 科技导报	否
3	利用 Q 值各向异性识别裂缝走向	尹志恒, 魏建新, 狄帮让, 李向阳, 孙文博, 齐宇	2011, 石油地球物理勘探	EI
4	松辽盆地南部乾安北地区扶余油层沉积微相分析	陆道林, 狄帮让, 李向阳, 王世瑞, 王树平	2011, 中国石油大学学报	EI
5	The analysis of frequency-dependent characteristics for fluid detection: a physical model experiment	Chen Shuang-Quan, Li Xiang-Yang, Wang Shang-Xu	2012, Applied Geophysics	SCI

6	利用物理模型三维纵波数据分析 HTI 介质的方位各向异性	尹志恒 李向阳 魏建新, 狄帮让, 张四海, 吴满生	2012, 地球物理学报	SCI
7	利用多分量地震数据反演近地表横波速度	李晓明, 陈双全, 李向阳	2012, 石油地球物理勘探	EI
8	改进纵波与转换波时间匹配方法研究	龚雪萍, 陈双全, 李向阳	2012, 石油地球物理勘探	EI
9	应用局部频率属性检测天然气藏	陈双全, 李向阳	2012, 石油地球物理勘探	EI
10	柴西北地区储集层构造裂缝定量描述与预测	陆道林, 狄帮让, 李向阳, 曾联波, 李夏, 仲歆	2012, 新疆石油地质	否
11	弱信号地震数据目标处理技术	陆道林, 狄帮让, 孙哲, 李向阳, 王世瑞	2012, 新疆石油地质	否
12	联合垂直地震剖面资料提高地面地震资料分辨率的应用研究	陈双全, 李向阳	2012, 中国石油大学学报	EI

			报	
13	Analysis and Application of two-parameter moveout equation for Converted-wave in VTI media	Li X. -M., Chen S. -Q. and Li X. -Y	2013 , Applied Geophysics	SCI
14	Study on S-wave ray elastic impedance for lithology and fluid identification	Gong. X. , Zhang. F. , Li. X. , and Chen. S.	2013 , Applied Geophysics	SCI
15	A new microseismic location method accounting for the influence of the hydraulic fracturing process	Xiaolin Zhang, Feng Zhang, Xiangyang Li and Shuangquan Chen	2013 , JGE	SCI
16	Modeling and analysis of seismic wave dispersion based on the rock physics model	Yaojun Wang, Shuangquan Chen, Lei Wang and Xiang-Yang Li	2013 , JGE	SCI
17	Automated time-domain transform of converted waves by prestack double-parameter scanning	Chen S Q, Li X M, Li X Y.	2013 , JGE	SCI
18	水力压裂对速度场及微地震定位的影响	张晓林, 张峰, 李向阳, 黄旭日, 陈双全	2013, 地球 物理学报	SCI
19	基于二极化校正的陆上气云区的转换波成像	张四海, 李向阳, 郭智奇	2013, 石油 地球物理勘	EI

			探	
--	--	--	---	--

Composed on the 12 May 2011 by Xiang-Yang Li